



Discreet Dash Camera
with WiFi & GPS



CONTENTS

1.0	INTRODUCTION.....	3
2.0	CAUTIONS.....	3
3.0	CHARGING NOTES.....	4
4.0	MICRO SD CARD NOTES	4
4.1	FORMATTING THE INSERTED MICRO SD CARD	4
5.0	PACKAGE CONTENTS	5
6.0	PRODUCT OVERVIEW.....	6
7.0	INSTALLATION INSTRUCTIONS	7
7.1	KPT-2100 INSTALLATION	7
7.2	VEHICLE FUSE OPTIONS (USE ONLY ONE OPTION FOR INSTALLATION)	10
8.0	SOUND ALERTS	11
9.0	MANUAL SWITCH	11
10.0	QUICK KEY FUNCTIONS	12
10.1	LED INDICATOR	12
11.0	DOWNLOADING AND INSTALLING THE KPT-LINK APP	13

12.0	KPT-LINK APP OPERATION.....	15
12.1	APP VIDEO PLAYBACK.....	15
12.2	DOWNLOADING VIDEOS FROM THE APP	16
12.3	SHARING VIDEOS ON SOCIAL MEDIA	16
12.4	KPT-LINK APP SETTINGS.....	17
12.5	KPT-LINK APP SETTINGS CONT'	18
12.6	VIDEO RECORDING	18
13.0	WARRANTY TERMS & CONDITIONS	19
13.1	INDEMNITY	19
13.2	WARRANTY AND WARRANTY DISCLAIMER.....	20
13.3	LIMITATIONS OF KPT-2100 LIABILITY	21
14.0	NOTES	23

1.0 INTRODUCTION

Thank you for purchasing a Kapture Dash Camera. We have designed this product so you can have a better driving experience with enhanced safety features. Our products, like most after-market safety enhanced devices, are designed to assist and aid the driver, not to replace the manual function of the person operating the vehicle. Please read through these instructions before attempting to install this product.

For the latest manual and product updates, please visit our websites:

www.kapturecam.com.au or **www.kapturecam.co.nz**

2.0 CAUTIONS

- Ensure you are using your Dash Camera within your countries' road laws. Please make sure you are familiar with your local road legislation before use.
- Please set the time and date before you use this device to record.
- The notifications given by the Dash Camera are suggestions only, please drive according to the actual road conditions.
- The system is to be used only for non-commercial use, within the limits permitted by the relevant laws.
- Avoid using the Dash Camera in the vicinity of any devices that emit radio interference (eg. microwave ovens).
- It is considered normal for the Dash Camera to get warm during use.

3.0 CHARGING NOTES

- Always charge the Dash Camera using the provided charger. Improper charging of the Dash Camera may result in failure.
- Do not dispose of the Dash Camera in a fire.
- Please dispose of the Dash Camera within the limits of your local regulations.

4.0 MICRO SD CARD NOTES

This Dash Camera can only be used with Micro SD Cards, Class 10 or above with 32GB – 128 GB storage capacity, (not included). Please format your Micro SD Card before use.

NOTE:

- Formatting the Micro SD Card will delete all information on the inserted Micro SD Card and prepare the Card for use with the Dash Camera.*
 - * A Micro SD Card is not included and will need to be purchased separately.

4.1 FORMATTING THE INSERTED MICRO SD CARD

Please download the KPT-LINK App and connect your Dash Camera with the downloaded App by following the steps covered on page 24.

Please enter the Settings Section and press "Format SD Card".

The Dash Camera will format the Micro SD Card and will provide an audio notification that the Micro SD Card has been formatted.

Alternatively, once the Micro SD Card is inserted into the Dash Camera and connected to power, please press the Power Button on the Dash Camera 3 times rapidly. This will format the Micro SD Card.

NOTES ON INSTALLATION

1. It is advised that the Dash Camera is installed near the rearview mirror, at the top centre of the windshield for optimal operation.
2. Make sure that the lens is within the range of the windscreen wipers to ensure a clear view when it rains.
3. Do not touch the lens with your fingers. Finger prints left on the lens will result in unclear videos or photos. If photos or videos are blurred, please clean the lens gently with a microfibre cloth.
4. Only use the included charging cable to power the Dash Camera.

5.0 PACKAGE CONTENTS



1x Dash Camera
with GPS mount



1x Electrostatic
Film



1x User Manual



1x 12/24V
Adaptor




1x 3M Spare
Adhesive

6.0 PRODUCT OVERVIEW

FRONT CAMERA





1. Type C Connector (for power)
2. Micro SD Card Slot
3. Rear Camera Connector Port (rear camera not provided)
4. Mounting Bracket
5. Camera Lens
6. Speaker
7. Power Switch / Long press for 8 seconds to reset / Press once to turn on WiFi in Power On state
8. Microphone



7.0 INSTALLATION INSTRUCTIONS

7.1 KPT-2100 INSTALLATION

1. Attach the static cling film to the windshield in the recommended area shown in the diagram below. Before installation, clean the glass thoroughly. During installation, ensure that any bubbles between the static cling film and the glass are squeezed out completely.
2. Remove the release paper from the bottom of the bracket.
3. Adjust the viewing angle of the device.
4. Ensure that the device is firmly secured.
5. Run the KPT-2100 cable along the top of the front windshield through the A pillar and around and under the storage compartment of the passenger seat to the car's 12/24V adaptor port. Connect the 12/24V adaptor port to the vehicle's power.



NOTE:

- The electrostatic film helps with easy removal of your Dash Camera from the windshield. Included in package contents.

It is highly recommended that you thoroughly read the installation instructions in this user manual. If you are not comfortable with the process, please seek further assistance from an authorised technician.

Most vehicles have a fuse box underneath the dashboard on the driver's side which is easily accessible below the steering column (behind a removable panel). However, the location does vary between vehicle make and model.


There are 4 types of fuse tap cables included in this kit. Check to see if these fuses suit your vehicle's fuse box. If none are suitable, you will need to purchase the correct fuse tap to attach the hardwire kit to your vehicle's power source.

Note: You may need to consult your vehicle manufacturer for instructions on how to remove vehicle fittings (for example, the A-pillar panel) for routing the hardwire kit cables inside your vehicle and for where airbags are located so that these are not obstructed by the routed cables in case of deployment.

Working with your vehicle's power systems can be hazardous both to you and the vehicle if you are not familiar with such tasks. If you have any doubts regarding the installation of the smart hardwire kit, it is recommended that you seek a qualified auto technician for assistance.




IMPORTANT: Please refer to your dashcam user manual for installation of the dashcam in your vehicle.

- The smart hardwire kit provides continuous power to the dashcam from the vehicle battery. If there are any issues with your dashcam, please contact customer service.



1. Red Input Connector
2. Black Input Connector
3. Yellow Input Connector
4. Input Cable
5. Control Box with Adhesive Pad
6. Output Cable
7. Output Connector

7.2 VEHICLE FUSE OPTIONS (USE ONLY ONE OPTION FOR INSTALLATION)



8.0 SOUND ALERTS


The KPT-2100 will provide you with sound alerts to keep you updated with the status of your Dash Camera. Audio notifications will come through the in-built speaker of the Dash Camera as per below:

- Recording Started/Stopped
- Turning On/Off Wi-Fi
- Emergency Recording Started/Stopped
- SD Card is being Formatted
- Please insert SD Card
- Rear Camera is not plugged in

9.0 MANUAL SWITCH

Press the power switch button to turn on the power manually.

Press and hold the power switch button for 3 seconds to turn off the power.



10.0 QUICK KEY FUNCTIONS

By pressing the Power Button multiple times you can access several quick key functions.

OPERATION	FUNCTION	OPERATION	FUNCTION
Press and hold for 2 seconds	Power ON/OFF device	Quick press x3	Format the Micro SD Card*
Press once	ON/OFF WiFi	Quick press x5	Reset to Default Settings^
Quick press x2	Lock file		

* Formatting the Micro SD Card will delete all information on the inserted Micro SD Card and prepare the card to be used with the KPT-2100.

^ Restoring to default Settings will also change the WiFi password to default **12345678**.
In case you forget your WiFi's password, please reset to default Settings.

10.1 LED INDICATOR

The colour of the KPT-2100 LED light helps to indicate the following functions:

1. **Constant red:** Not recording
2. **Constant blue:** Recording in normal mode
3. **Blue flashing:** Recording an emergency event
4. **Green flashing:** Updating firmware
5. **Constant green:** Video playback in App

11.0 DOWNLOADING AND INSTALLING THE KPT-LINK APP

The KPT-2100 needs to be used in combination with KPT-LINK App to function correctly.

All major settings on the KPT-2100 are edited through the KPT-LINK App.

The system requirements for your smartphone are noted below.

iPhone: iPhone 5 or later using iOS 8.0 and above.

Samsung Galaxy: S3 and later using Android 4.2.2 and above.

For you to correctly connect your smart device to your KPT-2100 you will need to have the KPT-LINK App from the Apple App Store or Google Play Store installed on your smartphone. You will also need to connect your smartphone to the KPT-2100's WiFi signal using your smartphone's WiFi Settings.

For Android devices: Please search KPT-LINK in the Google Play Store for installation. Alternatively you can scan the QR code found in the System Settings in your Dash Camera. You can also scan the QR code on the following page.

For iOS devices: Please search KPT-LINK in the IOS App Store for installation. Alternatively you can scan the QR code found in the System Settings in your Dash Camera. You can also scan the QR code on the following page.

For a step by step guide on connecting to your Dash Camera to your smartphone please follow the steps below.

1. On your smartphone download the KPT-LINK App from the Google Play store if you are using an Android device, or the iOS App store if you are using an iPhone. You can also

scan the QR code on the following page.

2. Power up the Dash Camera and allow 2 minutes for the WiFi connection to start.
3. Once the App is downloaded and installed on your smartphone and the Dash Camera is powered up, open your smartphone's WiFi Settings and connect to the wireless connection named KPT2100.
4. When prompted enter the password 12345678

WiFi Name: KPT-2100 _XXXX (XXXX is unique number to each Dash Camera)

Password: 12345678

5. Once the connection has been made, open the KPT-LINK App. You will now be able to access the live recording screen for the front and rear cameras, stored videos, and your Dash Camera Settings.

Scan the QR code
for a direct link
to download the
KPT-LINK App.




12.0 KPT-LINK APP OPERATION

To use the KPT-LINK App, your smart device will need to be connected to the Dash Camera WiFi connection. For instructions on connecting your Dash Camera to your smartphone's WiFi, please follow the steps on the previous page.

12.1 APP VIDEO PLAYBACK

For Video Playback via the App, please follow the instructions below.

1. Open the KPT-LINK App.
2. Press the Album Button.
3. Click on the Video Folder and select the video you want to view.



12.2 DOWNLOADING VIDEOS FROM THE APP

To download your Dash Camera videos, please follow the instructions below:

1. Open the KPT-LINK App.
2. Press the Album Button.
3. Select the video/videos and press the 'Download' Button.
4. The download will start and will save to your smartphone which can also be accessed through the KPT-LINK App in the folder named 'Local'.

12.3 SHARING VIDEOS ON SOCIAL MEDIA

To share videos on social media, please follow the instructions below:

1. Open the KPT-LINK App.
2. Press the Album Button.
3. Open the Local folder on the KPT-LINK App, all downloaded files can be accessed via the Local folder.
4. Select the files you want to share, and then press the 'Share' button.
5. Select the social media application you wish to share on.

12.4 KPT-LINK APP SETTINGS

MENU	SETTING	DESCRIPTION
Microphone	ON, OFF	Turns microphone ON/OFF
Speed Alerts	ON, OFF	Turns speed camera alerts ON/OFF
Loop Recording	1 & 3 Minutes	Loop recording allows you to set the duration that the camera will record before creating a new clip
Volume	Off, Low, Mid, High	Controls the sound level of the inbuilt speaker
G-Sensor	Off, High, Mid, Low	The G-Sensor monitors your vehicle for impacts. The Dash Camera will automatically lock the recording in the event of a collision. You can turn off or adjust the sensitivity of the built in G-Sensor.
Parkmode*	ON, OFF	Activates Timelapse mode when the car is parked and the engine is turned OFF *Requires 3-wire hardwire kit KPT-SHWK Default: Off
Adjust Time	Day, Month, Year	Adjusts the time on the timestamp

12.5 KPT-LINK APP SETTINGS CONT'

MENU	SETTING	DESCRIPTION
Format SD Card	Formats the Micro SD Card	Deletes all recorded data from the Micro SD Card
WiFi Settings	N/A	Change the Dash Camera's WiFi name and password from default
Factory Settings	N/A	Restore factory Settings
Help	N/A	FAQ
About DVR	N/A	Firmware version

12.6 VIDEO RECORDING

Emergency Video: Collision Auto Recording: During vehicle ignition, if a collision occurs, the dash cam will automatically record an emergency video. (Sensitivity can be adjusted via the dash cam or app.)

Time-Lapse: When the vehicle is turned off, the dash cam will continuously capture frames at a rate of one frame per second and then compile them into a time-lapse video file. All video storage operates on a loop-overwrite basis. When the storage space for a specific category of video is exhausted, a new video in that category will automatically delete the earliest video in the same

category. To ensure important videos are not overwritten, it is recommended to export them promptly to a mobile phone or computer Works only when connected with hardwire kit

13.0 WARRANTY TERMS & CONDITIONS

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure. This warranty is provided in addition to your rights under the Australian Consumer Law. Directed Electronics Australia Pty Ltd (Directed Electronics) warrants that this product is free from defects in material and workmanship for a period of 12 months from the date of purchase or for the period stated on the packaging. This warranty is only valid where you have used the product in accordance with any recommendations or instructions provided by Directed Electronics.

This warranty excludes defects resulting from alterations of the product, accident, misuse, abuse or neglect. In order to claim the warranty, you must return the product to the retailer from which it was purchased or if that retailer is part of a National network, a store within that chain, along with satisfactory proof of purchase. The retailer will then return the goods to Directed Electronics.

Directed Electronics will repair, replace or refurbish the product at its discretion. The retailer will contact you when the product is ready for collection. All costs involved in claiming this warranty, including the cost of the retailer sending the product to Directed Electronics, will be borne by you.

Ph: +61 03 8331 4800 | Email: info@kapturecam.com.au

13.1 INDEMNITY

You agree to defend, indemnify and hold harmless KPT-2100 and its subsidiaries and affiliates from and against any and all claims, proceedings, injuries, liabilities, losses, costs and expenses

(including reasonable legal fees), including but not limited to, claims alleging negligence, invasion of privacy, copyright infringement and/or trademark infringement against KPT-2100 and its subsidiaries and affiliates, relating to or arising out of your breach of any provision of these terms, your misuse of KPT-2100 products or its services, or your unauthorised modification or alteration of products or software.

13.2 WARRANTY AND WARRANTY DISCLAIMER

KPT-2100 has a limited warranty, whereby KPT-2100 warrants to you and only to you that this KPT-2100 product will be free from defects in materials and workmanship for one (1) year from the date of your purchase (unless a longer warranty period is required by law). The specifics of this KPT-2100 limited warranty are covered in this manual. To the extent possible under governing law, other than the above product warranty for the KPT-2100 product you understand and agree that the KPT-2100 products and services are provided on an "as is" and "as available" basis. KPT-2100 makes no warranty that the KPT-2100 products and services will meet your requirements or that use of the KPT-2100 products and services will be uninterrupted, timely, secure or error-free. Nor does KPT-2100 make any warranty as to the accuracy or reliability of any information obtained through KPT-2100 (including third party content), that any defects in the KPT-2100 products or services be corrected or that the KPT-2100 products or KPT-2100 services will be compatible with any other specific hardware or service. Further, KPT-2100 does not warrant that KPT-2100 products or services or KPT-2100 servers that provide you with data and content are free of viruses or other harmful components.

KPT-2100 also assumes no responsibility for and shall not be liable, for any damages caused by viruses that may infect your KPT-2100 product or software. In the event of any loss, damage or injury, you will not look to KPT-2100 to compensate you or anyone else.

You release and waive for yourself and your insurer all subrogation and other rights to recover against KPT-2100 arising as a result of the payment of any claim for loss, damage or injury. KPT-2100 equipment and services do not cause and cannot eliminate occurrences of certain events and KPT-2100 makes no guarantee or warranty, including any implied warranty of merchantability or fitness for a particular purpose or that KPT-2100 equipment and services provided will detect or avert such incidents or their consequences.

KPT-2100 does not undertake any risk that you or property, or the person or property of others, may be subject to injury or loss if such an event occurs. The allocation of such risk remains with you, not KPT-2100. Other than the above product warranty for KPT-2100 products, its suppliers disclaim all warranties of any kind, whether express, implied, or statutory, regarding the KPT-2100 products and services, including any implied warranty of title, merchantability, fitness for a particular purpose, or non-infringement of third-party rights. Because some jurisdictions do not permit the exclusion of implied warranties, the last sentence of this section may not apply to you. KPT-2100 hereby further expressly disclaims all liability for any claims for service failures that are due to normal product wear, product misuse, abuse, product modification improper product selection or your noncompliance with all applicable federal, state or local laws. This warranty and warranty disclaimer give you specific legal rights, and you may have other rights that vary by state, province, or country. Other than as permitted by law, KPT-2100 does not exclude, limit or suspend other rights you have, including those that may arise from the nonconformity of a sales contract. For a full understanding of your rights, you should consult the laws of your state, province, or country.

13.3 LIMITATIONS OF KPT-2100 LIABILITY

Under no circumstances will KPT-2100 be liable in any way for any content, including, but not limited to, the loss of content, any errors or omissions in any content, or any loss or damage of any kind incurred in connection with use of or exposure to any content posted, emailed, accessed,

transmitted, or otherwise made available via KPT-2100. KPT-2100 liability for damages, especially for breach of duty or obligation, delay in performance, non-performance, or malperformance shall be precluded, except when these are due to negligent breaches of any significant contractual duty or obligation on the part of KPT-2100. Any liability for negligence is limited to direct losses usually and typically foreseeable in such case.

Should the claim for damages be based on wilful or grossly negligent breach of contractual duty or obligation on the part of KPT-2100, the preclusion and limitation of liability mentioned in the preceding sentences will not apply. The preceding preclusion and limitation of liability will also not apply to claims for damages arising out of loss of life, bodily injury or health impacts for which KPT-2100 may be liable, or for non-contractual liability.

Some states and countries do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. Additionally, this provision is not intended to limit KPT-2100's liability in the event of KPT-2100's wilful or intentional misconduct.

14.0 NOTES

Your Connection On The Road

www.kapture.com.au | www.kapturecam.co.nz



All Images, Information and Content are Copyright © 2025
Directed Electronics Australia Pty Ltd. All Rights Reserved.



DIRECTED
AUSTRALIA & NZ

www.directed.com.au
www.directed.co.nz